Journal of
Materials
Processing
Technology

Volume 70, Nos. 1–3, October 1997

Contents

Investigation of the worn surfaces of diamond sawblades in sawing granite 1
S.Y. Luo

Study of an assembly tolerance allocation model based on Monte Carlo simulation. 9
C.-Y. Lin, W.-H. Huang, M.-C. Jeng, J.-L. Doong

Phenomenon of barrelling in aluminium solid cylinders during cold upset-forming 17
R. Narayanasamy, K.S. Pandey

Three-dimensional cutting process analysis with different cutting velocities 22
Z.-C. Lin, Y.-D. Yarng

A study of the tool–chip interface contact problem under low cutting velocity with an elastic cutting tool 34
Z.-C. Lin, S.-P. Lo

The effect of a slightly concave-shaped roller on strip shape during rolling. 47
Z.-C. Lin, S.-Y. Lee

A study of radial thermal expansion of a work roll for three-dimensional strip deformation during rolling 62
Z.-C. Lin, V.-H. Lin

A slip-line approach to visioplasticity in plane-strain extrusion by the finite flow-line regions technique 77
J.P. Wang

Effect of compressibility on flow field and fiber orientation during the filling stage of injection molding. 83
S.C. Lee, D.Y. Yang, J. Ko, J.R. Youn

Post-uniform deformation in uniaxial and equi-biaxial stretching of aluminium alloy sheets 93
R. Mahmudi

The reduction of dendrite ARM spacing using a novel pressure-assisted investment casting approach 99
C.S. Lim, A.J. Clegg, N.L. Loh

A plane-strain UBET analysis of material flow in a filled deep die cavity in closed-die forging 103
J. Hou

Parametric optimization of power in hydrostatic extrusion 111
A.H. Elkholy

Constant turning force operation with a fixed metal removal rate via a prior fuzzy controller system 116
K.-H. Fuh, C.-T. Chen

Analysis of the deformation characteristics of spike-forging process through FE simulations and experiments. 122
W.L. Xu, K.P. Rao

Experimental study of freezing in a rectangular enclosure 129
K.C. Leong, F.L. Tan

Laser welding for lightweight structures 137
Z. Li, S.L. Gobbi

Applying the finite-element method to determine the die swell phenomenon during the extrusion of glass rods with non-circular cross-sections 145
H.-J. Mayer, C. Stiehl, E. Roeder

The optimum die profile for the cylindrical bending of plates. 151
S. Oral, H. Darendeliler

V-bending studies on sintered copper powder metallurgical preform sheets 156
S. Sriram, N. Jothi, N.L.L.N. Kumar, P. Venugopal

Some studies on the warm solid- and hollow-extrusion of sintered powder metallurgical copper preforms 163
V. Subramanya Sarma, T. Senthilvelan, P. Venugopal

Elsevier Science S.A.

Adiabatic and friction heating on the open die extrusion of solid and hollow bodies 170
K. Srinivasan, P. Venugopal

Development of an industrial process for minting a new type of bimetallic coin 178
P.J. Leitão, A.C. Teixeira, J.M.C. Rodrigues, P.A.F. Martins

Prediction of the location of delamination in the drilling of composite laminates 185
C.-C. Tsao, W.-C. Chen

On the history of the determination of ductile fracture (ductility) of metals 190
V.L. Kolmogorov

Improvement of roll-gap set-up accuracy using a modified mill stiffness from gaugemeter diagrams 194
Y.-H. Moon, J.-J. Yi

Flexural strength of ceramics ground under widely different conditions 198
T.W. Liao, K. Li, K. Breder

Friction evaluation in hot strip rolling by direct measurement in the roll gap of a model duo mill 207
J. Lagergren

Safety analysis of 200 m^3 LPG spherical tank manufactured by the dieless hydro-bulging technology 215
S. Yuan, W. Fengzhi, Z.R. Wang

The method of the principal shear stress tracing line and its application in the flaring and expanding of a thin-walled tube with a conical punch 220
Z.R. Wang, D. Kun, F. Yi

A comparison of the mesomechanism of dynamic deformation between copper and aluminum 228
L. Xin, H. Jin-tao, B. Bingzhe, W. Zhongren

Manufacturing processes modelling for environmental impact assessment 231
A.C.K. Choi, H. Kaebernick, W.H. Lai

Integration of mechanical testing with automated parts handling in a production environment 239
P. Potluri, J. Atkinson, I. Porat

Constitutive behaviour of composites of AA6061 and alumina 244
C.H.J. Davies, E.B. Hawbolt, I.V. Samarasekera, J.K. Brimacombe

Strain-rate hardening behavior of superalloy IN718 252
J.M. Zhang, Z.Y. Gao, J.Y. Zhuang, Z.Y. Zhong, P. Janschek

A blackboard-based approach to concurrent process design of injection moulding. 258
C.K. Kwong, G.F. Smith, W.S. Lau

Parametric study to improve laser hole drilling process 264
B.S. Yilbas

Stress due to a moving band source of heat and mechanical load on the work surface during grinding 274
R. Gupta, G.S. Sekhon, K.S. Shishodia

Monitoring of tool fracture in end milling using induction motor current. 279
B.Y. Lee, H.S. Liu, Y.S. Tarng

Autogenous welding of Hastelloy X to Mar-M 247 by laser 285
Z. Li, S.L. Gobbi, K.H. Richter

Author Index of Volume 70. 293

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.

Elsevier Science S.A.